

DECLARATION OF PERFORMANCE

in accordance with EU Construction Products Regulation (CPR) no 305/2011

No. DoP-GB-webercem spray DSF-100919

1. *Unique identification code of the product-type:*
webercem spray DSF
2. *Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):*
webercem spray DSF (batch/production date/ production site is printed on packaging)
3. *Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:*
For uses in buildings and civil engineering works
4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):*
Saint-Gobain Construction Products UK Limited trading as Saint-Gobain Weber
Dickens House
Enterprise Way
Flitwick
Beds
MK45 5BY
UK

Web: www.uk.weber
5. *Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):*
Not applicable
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
AVCP system 2+
7. *In case of the declaration of performance concerning a construction product covered by a harmonised standard:*
EN 1504-3:2005
BSI, notified factory control body No. 0086 performed initial inspection of factory and factory production control (FPC) and performs continuous surveillance, assessment and approval of FPC under system 2+ and issued certificates of conformity of factory production control:

0086-CPR-595178
8. *In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:*
Not applicable

9. Declared performance

Essential characteristics	Performance	Standard
Compressive strength	Class R4 (≥ 45 MPa)	EN12190:1999 (EN1504-3:2005)
Chloride ion content	$\leq 0.05\%$	EN 1015-17:2000 (EN1504-3:2005)
Adhesive bond	≥ 2.0 MPa	EN 1542:1999 (EN1504-3:2005)
Carbonation resistance	$dk \leq$ control concrete (1,3)	EN 13036-4:2011 (EN 1504-3:2005)
Elastic modulus	≥ 20 GPa	EN 13412:2006 (EN 1504-3: 2005)
Thermal compatibility Part 1 freeze thaw	≥ 2.0 MPa	EN 13687-1:2002 (EN1504-3:2005)
Skid Resistance	Not applicable – product not suitable in trafficked areas (table 1, clause f of 1504-3)	EN 13036-4:2011 (EN1504-3:2005)
Capillary absorption	$\leq 0,5$ kgm-2h-0.5	EN 13057:2002 (EN1504-3:2005)
Reaction to fire	Class A1 Non-Combustible (containing 1% by mass/volume of homogeneously distributed organic materials)	EN1504-3:2005 cl 5.5
Dangerous substances	Refer to current safety data sheets (SDS)	EN1504-3:2005 cl 5.4

NPD = No performance determined

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:
Not applicable

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.
Signed for and on behalf of the manufacturer by:

CED CAMBLET HEAD of TECHNICAL
 (name and function)
Hitesich 11/09/19 (place and date of issue)
[Signature] (signature)

Attachments to DoP according to CPR Article 6 (5) and the REACH regulation (EC) No 1907/2006, Article 31 or Article 33

- (31) Safety data sheet: MSDS (webercem spray DSF)
- (33) Information on substances of very high concern: Not applicable