Revision: 25.03.2021



# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 25.03.2021

Version number 5

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberpral M

Safety data sheet no.: 44P45948

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

Enterprise Way

**Flitwick** 

Bedford.

MK45 5BY

Tel: +44(0)1525 718877 Web: www.netweber.co.uk

email:sara.kelly@netweber.co.uk

**1.4 Emergency telephone number:** +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

# Hazard pictograms



GHS05

# Signal word Danger

## Hazard-determining components of labelling:

cement, portland, white calcium dihydroxide

#### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



## according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version number 5 Revision: 25.03.2021

#### Trade name weberpral M

**Precautionary statements** 

(Contd. of page 1)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P332+P313 If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

#### Additional information:

Contains portland cement with a soluble chromium VI content under 2 ppm during the conservation period indicated on the packaging.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance: Terbutryn (CAS no.: 886-50-0)

EUH208 Contains terbutryn. May produce an allergic reaction.

#### 2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2ppm), it doesn't need a reducing agent

# Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 65997-15-1	cement, portland, white	10-20%
EINECS: 266-043-4	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-62-0	calcium dihydroxide	≥3-<5%
EINECS: 215-137-3	Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; STOT SE	
Reg.nr.: 01-2119475151-45-	3, H335	
XXXX		

#### **SVHC** Void

# **Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm). It doesn't need any chromate reducing agent.

For the wording of the listed hazard phrases refer to section 16.

GB



# according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version number 5 Revision: 25.03.2021

Trade name weberpral M

(Contd. of page 2)

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

#### After skin contact

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

## After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

# 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

# Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

(Contd. on page 4)



# according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version number 5 Revision: 25.03.2021

Trade name weberpral M

(Contd. of page 3)

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

	to with himt values that	require monitoring at the workplace:		
DNELs				
CAS: 471	34-1 calcium carbonate	)		
Inhalative Derived No Effect Level 6.36 mg/m³ (worker local long term value)				
		1.06 mg/m³ (consumer local long term value)		
CAS: 130	5-62-0 calcium dihydrox	ride		
Inhalative	Derived No Effect Level 4 mg/m³ (worker local short term value)			
		1 mg/m³ (worker local long term value)		
		1 mg/m³ (consumer local long term value)		
		4 mg/m³ (consumer local short term value)		
PNECs		L		
CAS: 130	5-62-0 calcium dihydrox	ride		
Predicted	Predicted No Effect Concentration   9.32 mg/l (sea water rating factor)			
		0.49 mg/l (fresh water rating factor)		
CAS No	. Designation of materi	al % Type Value Unit		
CAS: 6599	97-15-1 cement, portlan	d, white		
	WEL Long-term value: 10* 4** mg/m³			
*inhalable dust **respirable dust				
CAS: 130	5-62-0 calcium dihydrox	ride		
WEL Short-term value: 4* mg/m³				
Long-term value: 5 1* mg/m³				
l^res	prable fraction			

#### 8.2 Exposure controls

# Personal protective equipment:

# General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Use a moisturising skin cream after processing the product.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:** Protective gloves.

Material of gloves Nitrile impregnated cotton gloves complying with the standard EN 374-1.

**Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Revision: 25.03.2021 Version number 5

Trade name weberpral M

(Contd. of page 4)

<b>SECTION 9: Physical and chemical</b>	properties			
9.1 Information on basic physical and chemical properties General Information				
				Appearance:
Form:	Powder			
Colour:	White			
Odour:	Characteristic			
Odour threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/freezing point:	Undetermined.			
Initial boiling point and boiling range:	Undetermined.			
Flash point:	Not applicable			
Flammability (solid, gas):	Product is not flammable.			
Ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidising properties	Not determined.			
Vapour pressure:	Not applicable.			
Density:	Not applicable.			
Relative density	Not determined.			
Vapour density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water:	Unsoluble			
Segregation coefficient (n-octanol/water) lo	<u> </u>			
Pow:	Not determined.			
Viscosity:				
dynamic:	Not applicable.			
kinematic:	Not applicable.			
Solvent content:	0.00/			
Organic solvents:	0.0 %			
EU-VOC (%)	0.00 %			
EU-VOC (g/L) Solids content:	0.0 g/l			
	100.0 %			
9.2 Other information	No further relevant information available.			

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.10.2 Chemical stability Stable at recommended storage conditions

(Contd. on page 6)



# according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version number 5 Revision: 25.03.2021

#### Trade name weberpral M

(Contd. of page 5)

#### Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Type	Value	Species	
CAS: 13	317-65	-3 limestone			
Oral	LD50	>5,000 mg/kg (Rat)			
CAS: 47	71-34-1	calcium carbonate			
Oral	LD50	6,450 mg/kg (Rat)			
Dermal	LD50	6,450 mg/kg (Rat)			
CAS: 65	CAS: 65997-15-1 cement, portland, white				
Dermal	LD50	>2,000 mg/kg (Rabbit)			
CAS: 13	CAS: 1305-62-0 calcium dihydroxide				
Oral	LD50	>2,000 mg/kg (Rat)			
Dermal	LD50	>2,500 mg/kg (Rabbit)			

#### **Primary irritant effect:**

# Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/irritation

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. **Additional toxicological information:** 

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment		
CAS: 1317-65-3 limestone		
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))	
EC50/48h	>1,000 mg/l (Daphnia magna)	
EC50/72h	>200 mg/l (Algae)	

(Contd. on page 7)



# according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version number 5 Revision: 25.03.2021

#### Trade name weberpral M

	(Contd. of page 6)
CAS: 471-34	-1 calcium carbonate
EC50/72h	14 mg/l (Algae)
CAS: 1305-6	2-0 calcium dihydroxide
LC50/96h	158 mg/l (Daphnia magna)
	>50.6 mg/l (Fish)
EC50/48h	49.1 mg/l (Daphnia magna)
EC50/72h	184.57 mg/l (Algae)
NOEC (14d)	32 mg/l (Daphnia magna)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

## **Ecotoxical effects:**

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

#### Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment		
CAS: 1305-62-0 calcium dihydroxide		
EC 50 (3h) 300.4 mg/l (Activated sludge)		

## Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

**PBT**: Does not contain PBT substances. **vPvB**: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR		
Class	- (-)	
ADN/R Class:	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	

(Contd. on page 8)



# according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version number 5 Revision: 25.03.2021

#### Trade name weberpral M

	(Contd. of page 7
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	Not applicable
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Department issuing SDS:** Quality Department Contact: Dr S. Kelly; tel. + 44 (0) 1525 718877

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

# \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.