

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name **weber CL150**

Safety data sheet no.: 44P45957

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Weber

Dickens House

Enterprise Way

Flitwick

Bedfordshire MK45 5BY

Tel: +44(0)1525 718877

webersds@saint-gobain.com

**1.4 Emergency telephone number:**

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am - 10pm, 7 days a week) ; +353 (1) 809 2566 (Healthcare professionals only 24/7)

- Iceland: Poisons Information Center - Icelandic University Hospital: +354 543 2222

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

**2.2 Label elements**

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS07 GHS09

**Signal word** Warning

(Contd. on page 2)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

(Contd. of page 1)

**Hazard-determining components of labelling:**

alkyl(C=12-18) benzyl dimethyl ammonium chloride  
didecyldimethylammonium chloride

**Hazard statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH208 Contains 2-Octyl-2H-isothiazol-3-on. May produce an allergic reaction.  
Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: alkyl(C=12-18) benzyl dimethyl ammonium chloride, didecyldimethylammonium chloride, octhiline (ISO); 2-octyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.  
**vPvB:** Does not contain vPvB substances.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

**Description:** Mixture of substances listed below with non hazardous additions.

**Dangerous components:**

CAS: 68391-01-5 EINECS: 269-919-4	alkyl(C=12-18) benzyl dimethyl ammonium chloride ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302	≥2-<2.5%
--------------------------------------	---	----------

(Contd. on page 3)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

		(Contd. of page 2)
CAS: 7173-51-5 EINECS: 230-525-2 Index number: 612-131-00-6 Reg.nr.: 01-2119945987-15-xxxx	didecyldimethylammonium chloride ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302, EUH071	≥0.25-<1%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45-xxxx	2-Octyl-2H-isothiazol-3-on ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C≥ 0.0015 %	≥0.025-<0.1%

**SVHC Void**  
**Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

##### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

##### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

##### After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 4)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

Trade name weber CL150

(Contd. of page 3)

### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

In case of seepage into the ground inform responsible authorities.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Contain the spilled liquid. Use appropriate containment to avoid environmental contamination.

Do not allow to penetrate the ground/soil.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.

(Contd. on page 5)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

(Contd. of page 4)

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection** Protective gloves.

**Eye/face protection**

Safety glasses.

Wear safety glasses or visor helmet for spray application.

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

**General Information**

**Colour:** According to product specification

**Odour:** Characteristic

**Odour threshold:** Not determined.

**Melting point/freezing point:** Undetermined.

**Boiling point or initial boiling point and boiling range** Undetermined.

**Flammability** Not applicable.

**Lower and upper explosion limit**

**Lower:** Not determined.

**Upper:** Not determined.

**Flash point:** Not applicable

**Ignition temperature:** Not determined.

**Decomposition temperature:** Not determined.

**pH at 20 °C** 7

**Viscosity:**

**Kinematic viscosity** Not determined.

**dynamic:** Not determined.

**Solubility**

**Water:** Not miscible or difficult to mix

**Partition coefficient n-octanol/water (log value)** Not determined.

**Vapour pressure at 20 °C:** 48 hPa (DIN 51640)

**Density and/or relative density**

**Density:** Not determined

**Relative density** Not determined.

**Bulk density:** Not applicable.

**Vapour density** Not determined.

(Contd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

Trade name weber CL150

(Contd. of page 5)

### 9.2 Other information

**Appearance:**

**Form:** Liquid

**Important information on protection of health and environment, and on safety.**

**Auto-ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**Minimum ignition energy**  
**Solvent separation test:** Not determined

**Solvent content:**  
**Organic solvents:** 0.4 %  
**Water:** 90.0 %

**Change in condition**  
**Softening point/range**  
**Oxidising properties** Not determined.  
**Evaporation rate** Not determined.

### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 7)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

Trade name weber CL150

(Contd. of page 6)

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 68391-01-5 alkyl(C=12-18) benzyl dimethyl ammonium chloride</b>			
Oral	LD50	400 mg/kg	(Rat)
<b>CAS: 7173-51-5 didecyldimethylammonium chloride</b>			
Oral	LD50	490-970 mg/kg	(Fish)
		238-264 mg/kg	(Rat)
Dermal	LD50	3,342 mg/kg	(Rabbit)
<b>CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on</b>			
Oral	LD50	125 mg/kg	(ATE)
Dermal	LD50	311 mg/kg	(ATE)
Inhalative	LC50/4 h	0.27 mg/l	(ATE)

#### **Skin corrosion/irritation**

Causes skin irritation.

#### **Serious eye damage/irritation**

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** Very toxic to aquatic life with long lasting effects.

Type of test	Effective concentration	Method	Assessment
<b>CAS: 7173-51-5 didecyldimethylammonium chloride</b>			
EC50/48h	29-57 mg/l	(Daphnia magna)	
NOEC (21d)	0.021 mg/l	(Daphnia magna)	

(Contd. on page 8)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

(Contd. of page 7)

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

LC50/48h	0.181 mg/l (Daphnia magna)
LC50/96h	0.122 mg/l (Fish)
EC50/48h	0.42 mg/l (Daphnia magna)
EC50/96h	0.15 mg/l (Algae)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential**

**CAS: 7173-51-5 didecyldimethylammonium chloride**

EBAB	2.8 log Pow
------	-------------

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

EBAB	2.61 log Pow (Bioaccumulation)
Bioaccumulation Factor (BCF)	19.21

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**European waste catalogue**

HP14	Ecotoxic
------	----------

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

**14.1 UN number or ID number  
ADR, IMDG, IATA**

UN3082

**14.2 UN proper shipping name  
ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyl(C12-16) dimethylbenzylammonium chloride, didecyldimethylammonium chloride)

**IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyl(C12-16) dimethylbenzylammonium chloride, didecyldimethylammonium chloride), MARINE POLLUTANT

**IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyl(C12-16) dimethylbenzylammonium chloride,

(Contd. on page 9)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

(Contd. of page 8)

didecyldimethylammonium chloride)

**14.3 Transport hazard class(es)**

**ADR**



**Class**

9 (M6) Miscellaneous dangerous substances and articles.

**Label**

9

**IMDG, IATA**



**Class**

9 Miscellaneous dangerous substances and articles.

**Label**

9

**14.4 Packing group**  
**ADR, IMDG, IATA**

III

**14.5 Environmental hazards:**

**Marine pollutant:**

Symbol (fish and tree)

**Special marking (ADR):**

Symbol (fish and tree)

**Special marking (IATA):**

Symbol (fish and tree)

**14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

**Hazard identification number (Kemler code):** 90

**EMS Number:**

F-A,S-F

**Stowage Category**

A

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:**

**ADR**

**Limited quantities (LQ)**

5L

**Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**Transport category**

3

**Tunnel restriction code**

(-)

**IMDG**

**Limited quantities (LQ)**

5L

**Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKYL(C12-16))

(Contd. on page 10)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

(Contd. of page 9)

DIMETHYLBENZYLAMMONIUM CHLORIDE,  
DIDECYLDIMETHYLAMMONIUM CHLORIDE), 9, III

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

“Control of Substances Hazardous to Health” UK Regulations 2002 (as amended)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category E1** Hazardous to the Aquatic Environment

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**Regulation (EU) No 649/2012**

CAS: 7173-51-5	didecyldimethylammonium chloride	Annex I Part 1
----------------	----------------------------------	----------------

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

(Contd. on page 11)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 4 (replaces version 3)

Revision: 01.04.2021

**Trade name weber CL150**

(Contd. of page 10)

H311 Toxic in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H330 Fatal if inhaled.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 EUH071 Corrosive to the respiratory tract.

### Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/eye irritation Skin sensitisation Hazardous to the aquatic environment - short-term (acute) aquatic hazard Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

### Department issuing SDS: EHS

#### Contact:

webersds  
 +44(0)1525718877  
 webersds@saint-gobain.com

#### Version number of previous version: 3

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organisation  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern (REACH regulation)  
 vPvB: very Persistent and very Bioaccumulative  
 Acute Tox. 3: Acute toxicity – Category 3  
 Acute Tox. 4: Acute toxicity – Category 4  
 Acute Tox. 2: Acute toxicity – Category 2  
 Skin Corr. 1: Skin corrosion/irritation – Category 1  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Skin Sens. 1A: Skin sensitisation – Category 1A  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.