

Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name webercem grout eco

Safety data sheet no.: 44P45965

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

**Enterprise Way** 

Flitwick

Bedfordshire MK45 5BY

Tel.: 01525 718877

webersds@saint-gobain.com

#### 1.4 Emergency telephone number:

UK: NHS 111 (Members of the public)

UK NPIS 24-hour telephone helpline: +44 (0)344 892 0111 (Healthcare professionals only)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

## **Hazard pictograms**





GHS05 GHS07

Signal word Danger



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

#### Trade name webercem grout eco

(Contd. of page 1)

#### Hazard-determining components of labelling:

cement portland, grey

## Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

#### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture consisting of the following components.

## **Dangerous components:**

CAS: 65997-15-1 | cement portland, grey

EINECS: 266-043-4 🍪 Eye Dam. 1, H318; 🕔 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT

SE 3, H335

Specific concentration limits: Skin Irrit. 2; H315: C  $\geq$  1 %

Eye Dam. 1; H318: C ≥ 1 %

#### Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately wash with water and soap and rinse thoroughly.

#### After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

(Contd. on page 3)

25-50%



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

Trade name webercem grout eco

(Contd. of page 2)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

#### **PNECs**

CAS: 65996-69-2 Slags, ferrous metal, blast furnace

Predicted No-Effect Concentration 1,000 mg/kgxdwt (earth rating factor)

Predicted No-Effect Concentration 500 mg/l (sea water rating factor)

(Contd. on page 4)



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

#### Trade name webercem grout eco

(Contd. of page 3)

5,000 mg/l (fresh water rating factor)

### CAS No. / Designation of material / % / Type / Value / Unit

#### CAS: 65997-15-1 cement portland, grey

WEL Long-term value: 10\* 4\*\* mg/m³
\*inhalable dust \*\*respirable dust

#### 8.2 Exposure controls

Lower:

Upper:

Density:

**Oxidising properties** 

Vapour pressure:

Relative density

Vapour density

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work. **Respiratory protection:** Protective mask type FFP2

Protection of hands: Protective gloves.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chei General Information	ilicai properties
Appearance:	
Form:	Powder
Colour:	Grey
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	

Not determined.

Not determined.

Not determined.

Not applicable.

Not applicable.

Not applicable.

Not determined.

(Contd. on page 5)



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

#### Trade name webercem grout eco

(Contd. of page 4) Not applicable. **Evaporation rate** Solubility in / Miscibility with Water: Insoluble Segregation coefficient (n-octanol/water) log Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable. Solvent content: Organic solvents: 0.0 % 0.0000 % EU-VOC (%) EU-VOC (g/L) 0.0000 g/l Solids content: 100.0 % 9.2 Other information No further relevant information available.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Type	1	Value	1	Species		
CAS: 65	CAS: 65997-15-1 cement portland, grey								
Dermal	Dermal LD50 >2,000 mg/kg (Rabbit)								
CAS: 65	CAS: 65996-69-2 Slags, ferrous metal, blast furnace								
Oral	LD50	>2,000 mg/	kg (Rat)						
Dermal	LD50	>4,000 mg/	kg (Rat)						
CAS: 1317-65-3 calcium carbonate									
Oral	LD50	>5,000 mg/	kg (Rat)						

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

(Contd. on page 6)



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

### Trade name webercem grout eco

(Contd. of page 5)

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test / Effective concentration / Method / Assessment					
CAS: 65996-69-2 Slags, ferrous metal, blast furnace					
LC50/96h	>100 mg/l (Leuciscus idus (Orfe))				
LC0/96h	>100 mg/l (Leuciscus idus (Orfe))				
EC50/72h	>90,000 mg/l (Algae)				
NOEC (72h)	50-100 mg/l (Algae)				
NOEC (21d)	1,563 mg/l (Daphnia magna)				
EC 0/48h	>100 mg /l (Daphnia magna)				
CAS: 1317-65-3 calcium carbonate					
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))				
EC50/48h	n  >1,000 mg/l (Daphnia magna)				
EC50/72h	C50/72h >200 mg/l (Algae)				

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

#### **Ecotoxical effects:**

#### Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment			
CAS: 65996-69-2 Slags, ferrous met	al, blast furnace		
EC 50 (3h) >10,000 mg/l (Activated sl	udge)		

#### Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

Trade name webercem grout eco

(Contd. of page 6)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Uncleaned packaging:** 

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
IMDG Class Label	Void -
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Not applicable. -
14.7 Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (UK REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (GB CLP)

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)



Printing date 07.12.2022 Version number 3 Revision: 07.05.2021

Trade name webercem grout eco

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### Department issuing SDS: EHS

#### Contact:

webersds

01525718877

webersds@saint-gobain.com

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### \* Data compared to the previous version altered.

According to Annex II of the UK REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.