

Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberend OCR

Safety data sheet no.: 44P45977

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

**Enterprise Way** 

Flitwick

Bedfordshire MK45 5BY

Tel.: 01525 718877

webersds@saint-gobain.com

## 1.4 Emergency telephone number:

UK: NHS 111 (Members of the public)

UK NPIS 24-hour telephone helpline: +44 (0)344 892 0111 (Healthcare professionals only)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

# 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

# **Hazard pictograms**





GHS05 GHS07

Signal word Danger

(Contd. on page 2)



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

#### Trade name weberend OCR

(Contd. of page 1)

# Hazard-determining components of labelling:

cement portland, grey calcium dihydroxide

#### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3 Other hazards

# Results of PBT and vPvB assessment PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Chemical characterisation: Mixtures

**Description:** Mixture consisting of the following components.

Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey  Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335  Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 %  Eye Dam. 1; H318: C ≥ 1 %	10-20%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide  © Eye Dam. 1, H318; ① Skin Irrit. 2, H315; STOT SE 3, H335	≥5-<10%
CAS: 1332-58-7 EC number: 310-194-1	Kaolin substance with a Community workplace exposure limit	2-5%

#### **Additional information**

For the wording of the listed hazard phrases refer to section 16.

The mixture is 'low chromate' according to EC regulations within the product shelf-life, so that the identification with H317 + EUH203 is not applicable when the packaging was not opened in the meantime.



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

Trade name weberend OCR

(Contd. of page 2)

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

## After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

**5.2** Special hazards arising from the substance or mixture No further relevant information available.

# 5.3 Advice for firefighters

Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

#### Trade name weberend OCR

(Contd. of page 3)

# 7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

<u> </u>		<u> </u>				
DNELs						
CAS: 1	CAS: 1305-62-0 calcium dihydroxide					
Inhalati	ve Derived No Effect Level	4 mg/m³ (worker local short term value)				
		1 mg/m³ (worker local long term value)				
		1 mg/m³ (consumer local long term value)				
		4 mg/m³ (consumer local short term value)				
PNECs	PNECs					
CAS: 1	305-62-0 calcium dihydrox	kide				
Predicte	Predicted No-Effect Concentration 9.32 mg/l (sea water rating factor)					
	0.49 mg/l (fresh water rating factor)					
CAS	CAS No. / Designation of material / % / Type / Value / Unit					
CAS: 6	CAS: 65997-15-1 cement portland, grey					
	WEL Long-term value: 10* 4** mg/m³					
	*inhalable dust **respirable dust					
CAS: 1	CAS: 1305-62-0 calcium dihydroxide					
	WEL Short-term value: 4* mg/m³					
	Long-term value: 5 1* mg/m³					
	*resprable fraction					
	332-58-7 Kaolin					
WEL L	WEL Long-term value: 2 mg/m³					

#### 8.2 Exposure controls

## Personal protective equipment:

# General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Use a moisturising skin cream after processing the product.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

(Contd. on page 5)



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

Trade name weberend OCR

(Contd. of page 4)

**Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.

9.1 Information on basic physical and cher	mical properties
General Information	mear properties
Appearance:	
Form:	Powder
Colour: Odour:	Grey Characteristic
Odour threshold:	Not determined.
pH-value:	Alkaline
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density Evaporation rate	Not applicable. Not applicable.
Solubility in / Miscibility with	пот арріїсавіе.
Water:	Insoluble
Segregation coefficient (n-octanol/water) l	og
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	0.0 %
Organic solvents: EU-VOC (%)	0.0000 %
EU-VOC (%)	0.0000 % 0.0000 g/l



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

Trade name weberend OCR

(Contd. of page 5)

Solids content: 100.0 %

**9.2 Other information** No further relevant information available.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compoi	nents	1	Туре	1	Value	1	Species	
CAS: 13	17-65	-3 calcium c	arbonate					
Oral	LD50	>5,000 mg/l	kg (Rat)					
CAS: 65	997-1	5-1 cement	portland, g	grey				
Dermal	LD50	>2,000 mg/l	κg (Rabbit)					
CAS: 13	05-62	-0 calcium d	lihydroxid	е				
Oral	LD50	>2,000 mg/l	kg (Rat)					
Dermal	LD50	>2,500 mg/l	kg (Rabbit)					

#### **Primary irritant effect:**

Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

Trade name weberend OCR

(Contd. of page 6)

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test	Type of test / Effective concentration / Method / Assessment			
CAS: 1317-65-3 calcium carbonate				
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))			
EC50/48h	>1,000 mg/l (Daphnia magna)			
EC50/72h	>200 mg/l (Algae)			
CAS: 1305-6	CAS: 1305-62-0 calcium dihydroxide			
LC50/96h	158 mg/l (Daphnia magna)			
	>50.6 mg/l (Fish)			
EC50/48h	EC50/48h 49.1 mg/l (Daphnia magna)			
EC50/72h	EC50/72h 184.57 mg/l (Algae)			
NOEC (14d)	NOEC (14d) 32 mg/l (Daphnia magna)			

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

#### **Ecotoxical effects:**

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

# Behaviour in sewage processing plants:

Type of test / Effective concentration / Meth	od / Assessment
CAS: 1305-62-0 calcium dihydroxide	
EC 50 (3h) 300.4 mg/l (Activated sludge)	

# Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

3B -



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

Trade name weberend OCR

(Contd. of page 7)

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
IMDG Class Label	Void -
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Not applicable. -
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (UK REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (GB CLP)

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 9)



Printing date 07.12.2022 Version number 4 Revision: 08.02.2022

### Trade name weberend OCR

(Contd. of page 8)

H318 Causes serious eye damage. H335 May cause respiratory irritation.

**Department issuing SDS: EHS** 

Contact:

webersds 01525718877

webersds@saint-gobain.com

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

# \* Data compared to the previous version altered.

According to Annex II of the UK REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

GB