Revision: 24.05.2021



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2022 Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weberset rapid SPF grey

Safety data sheet no.: 44P46009

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

Enterprise Way

Flitwick

Bedfordshire MK45 5BY

Tel: +44(0)1525 718877

webersds@saint-gobain.com

1.4 Emergency telephone number:

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am 10pm,
- 7 days a week); +353 (1) 809 2566 (Healthcare professionals only 24/7)
- Iceland: Poisons Information Center Icelandic University Hospital: +354 543 2222

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

Signal word Danger

(Contd. on page 2)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 1)

Hazard-determining components of labelling:

cement portland, grey

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	50-75%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey	10-20%
CAS: 7778-18-9 EINECS: 231-900-3 Reg.nr.: 01-2119444918-26-xxxx	calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2) substance with a Community workplace exposure limit	2-5%

SVHC Void

Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

EUG



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

(Contd. on page 4)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 6599	97-16-2 Cement, alumin	a, chemicals
nhalative	Derived No Effect Level	2.5 mg/m³ (worker systemic long term value)
		5 mg/m³ (worker systemic short term value)
CAS: 777	8-18-9 calcium sulphate	, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
Oral	Derived No Effect Level	1.52 mg/kgxday (consumer systemic long term value)
		11.4 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	21.17 mg/m³ (worker systemic long term value)
		5,082 mg/m³ (worker systemic short term value)
		5.29 mg/m³ (consumer systemic long term value)
		3,811 mg/m³ (consumer systemic short term value)

CAS: 65996-69-2 Slags	. ferrous metal	. blast furnace
-----------------------	-----------------	-----------------

Predicted No-Effect Concentration | 1,000 mg/kgxdwt (earth rating factor) |
Predicted No-Effect Concentration | 500 mg/l (sea water rating factor) |
5,000 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 14808-60-7 Silicon dioxide (Quartz sand)

LEP (Spain)

BOELV (European Union) Long-term value: 0.1* mg/m³

*respirable fraction

MAK (Germany) Long-term value: 0.05 mg/m³

alveolengängige Fraktion

GV (Denmark) Short-term value: 0.6* 0.2** mg/m³

Long-term value: 0.3* 0.1** mg/m³

*total:,**total, respirabel, EK

Long-term value: 0.05 mg/m³

*Fracción resp:n,d,y

TWA (Italy) Long-term value: 0.025 mg/m³

A2, (j)

VLE (Portugal) Long-term value: 0.025 mg/m³

Resp.;A2; fibrose pulmonar; cancro do pulmão

OEL (Sweden) Long-term value: 0.1 mg/m³

C, M, respirabel fraktion

HTP (Finland) Long-term value: 0.05 0.1* mg/m³

alveolijae;*sitovat raja-arvot, pöly

(Contd. on page 5)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

	(Contd. of page 4)				
CAS: 65997-15-1 cement portland, grey					
AGW (Germany)	Long-term value: 5 E mg/m³ DFG				
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d				
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4				
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma				
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae				
CAS: 7778-18-9 calciun	n sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)				
AGW (Germany)	Long-term value: 6 A mg/m³ DFG				
LEP (Spain)	Long-term value: 10 mg/m³ e				
TWA (Italy)	Long-term value: 10 mg/m³ (i)				
VLE (Portugal)	Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais				

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Respiratory protection: Filter P2.
Hand protection Protective gloves.
Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: Grey

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable

(Contd. on page 6)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 5)

Ignition temperature:Not determined.Decomposition temperature:Not determined.pHNot applicable.

Viscosity:

Kinematic viscosity dynamic:Not applicable.
Not applicable.

Solubility

Water: Insoluble

Partition coefficient n-octanol/water (log value) Not determined. **Vapour pressure:** Not applicable.

Density and/or relative density

Density:Not applicable.Relative densityNot determined.Vapour densityNot applicable.Particle characteristicsSee item 3.

9.2 Other information

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Void

Void

Void

Minimum ignition energy

Solvent content:

Oxidising liquids

Oxidising solids

Organic peroxides

Organic solvents: 0.0 %

EU-VOC (g/L)

Solids content: 100.0 %

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not applicable.

Information with regard to physical hazard

classes **Explosives** Void Void Flammable gases **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

(Contd. on page 7)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 6)

Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Type	I	Value	1	Species
CAS: 65	5996-69	9-2 Slags, fe	rrous me	tal, k	olast furn	ace)
Oral	LD50	>2,000 mg/k	(g (Rat)				
Dermal	LD50	>4,000 mg/k	(Rat)				
CAS: 65	997-1	5-1 cement _l	portland,	grey	1		
Dermal	LD50	>2,000 mg/k	(Rabbit)			
CAS: 65	997-1	6-2 Cement,	alumina,	che	micals		
Oral	LD50	>2,000 mg/k	(g (Rat)				
Dermal	LD50	>2,000 mg/k	(g (Rat)				
CAS: 77	778-18	-9 calcium s	ulphate, d	diffe	rent hydra	ate	levels CaSO4 x n H2O (n = 0; 1/2; 2)
Oral	LD50	>2,000 mg/k	(g (Rat)				

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 7)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test / Effective concentration / Method / Assessment				
CAS: 65996-69-2 Slags, ferrous metal, blast furnace				
LC50/96h	LC50/96h >100 mg/l (Leuciscus idus (Orfe))			
LC0/96h	LC0/96h >100 mg/l (Leuciscus idus (Orfe))			
EC50/72h	EC50/72h >90,000 mg/l (Algae)			
NOEC (72h) 50-100 mg/l (Algae)				
NOEC (21d) 1,563 mg/l (Daphnia magna)				
EC 0/48h	EC 0/48h >100 mg /l (Daphnia magna)			
CAS: 65997-	CAS: 65997-16-2 Cement, alumina, chemicals			
LC50/96h	LC50/96h 100 mg/l (Fish)			
EC50/48h	5.4 mg/l (Daphnia magna)			
EC50/72h	3.6 mg/l (Algae)			
CAS: 7778-1	CAS: 7778-18-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)			
LC50/48h	79-1,970 mg/l (Daphnia magna)			
LC50/96h	LC50/96h >79 mg/l (Oryzias latipes (Japanese medaka))			
	79-2,980 mg/l (Fish)			
EC50/72h	>79 mg/l (Selenastrum capricornutum (Green algae))			

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Does not contain PBT substances.
- vPvB: Does not contain vPvB substances.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment			
CAS: 65996-69-2 Slags, ferrous metal, blast furnace			
EC 50 (3h) >10,000 mg/l (Activated sludge)			
CAS: 65997-16-2 Cement, alumina, chemicals			
EC 50 (3h) 1,000 mg/l (Activated sludge)			
CAS: 7778-18-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)			
EC 50 (3h) >1,000 mg/l (Activated sludge)			

(Contd. on page 9)



Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

Additional ecological information:

(Contd. of page 8)

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Europ	European waste catalogue			
HP4	Irritant - skin irritation and eye damage			
HP13	Sensitising			

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

SECTION 14: Transport information	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
IMDG Class Label	Void -
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Void





Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation
Serious eye damage/eye irritation
Skin sensitisation

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: EHS

(Contd. on page 11)





Printing date 08.12.2022 Version number 2 (replaces version 1) Revision: 24.05.2021

Trade name weberset rapid SPF grey

(Contd. of page 10)

Contact:

webersds

+44(0)1525718877

webersds@saint-gobain.com

Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

EUG