Revision: 16.12.2022



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022

Version number 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name webercote primer

Safety data sheet no.: 44P46093

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

Enterprise Way

Flitwick

Bedfordshire MK45 5BY

Tel: +44(0)1525 718877

webersds@saint-gobain.com

1.4 Emergency telephone number:

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am 10pm,
- 7 days a week); +353 (1) 809 2566 (Healthcare professionals only 24/7)
- Iceland: Poisons Information Center Icelandic University Hospital: +354 543 2222

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

P280 Wear protective gloves.

(Contd. of page 1)

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance: Bronopol (CAS no.: 52-51-7)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225	1-2%	
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%	

(Contd. on page 3)



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

		(Contd. of page 2)
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.025%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311;	
Index number: 613-326-00-9	Acute Tox. 2, H330; 🍪 Skin Corr. 1B, H314;	
Reg.nr.: 01-2120764690-50-xxxx		
	(M=10); Aquatic Chronic 1, H410 (M=1);	
	♦ Skin Sens. 1A, H317	
	Specific concentration limit:	
	Skin Sens. 1A;H317: C ≥ 0.0015 %	
CAS: 55965-84-9	reaction mass of 5-chloro-2- methyl-2H-	≥0.00025-<0.0015%
EC number: 611-341-5	isothiazol-3-one [EC no. 247-500-7] and 2-	
Index number: 613-167-00-5	methyl-2H-isothiazol-3- one [EC no. 220-239-	
Reg.nr.: 01-2120764691-48-xxxx	6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310;	
	Acute Tox. 2, H330; Skin Corr. 1C, H314;	
	Eye Dam. 1, H318; Aquatic Acute 1, H400	
	(M=100); Aquatic Chronic 1, H410 (M=100);	
	Skin Sens. 1A, H317	
	Specific concentration limits:	
	Skin Corr. 1C;H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available. (Contd. on page 4)



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

(Contd. of page 3)

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No. / De	CAS No. / Designation of material / % / Type / Value / Unit CAS: 64-17-5 ethanol		
CAS: 64-17-5 et			
AGW (Germany)	Long-term value: 380 mg/m³, 200 ppm 4(II);DFG, Y		
GV (Denmark)	Short-term value: 3800 mg/m³, 2000 ppm Long-term value: 1900 mg/m³, 1000 ppm		
LEP (Spain)	Short-term value: 1910 mg/m³, 1000 ppm s		
TWA (Italy)	Short-term value: 1884 mg/m³, 1000 ppm A3		
VLE (Portugal)	Short-term value: 1000 ppm A3; Irritação do TRS		
OEL (Sweden)	Short-term value: 1900 mg/m³, 1000 ppm Long-term value: 1000 mg/m³, 500 ppm V		
	(Contd on page		

(Contd. on page 5



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

	(Contd. of page 4)			
HTP (Finland)	Short-term value: 2500 mg/m³, 1300 ppm Long-term value: 1900 mg/m³, 1000 ppm			
CAS: 2634-33-5	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
MAK (Germany)	vgl.Abschn.IIb und Xc			
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one				
MAK (Germany)	Long-term value: 0.2 E mg/m³ vgl. Abschn. Xc			
CAS: 55965-84-9	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc			

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

Hand protection Not required.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: White

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range 100 °C (DIN, CAS: 7732-18-5 water)

Flammability Not applicable.

Lower and upper explosion limit

Lower: 3.5 Vol % (DIN 51649, CAS: 64-17-5 ethanol) **Upper:** 15.0 Vol % (DIN 51649, CAS: 64-17-5 ethanol)

Flash point:
Ignition temperature:
Decomposition temperature:
PH

Not applicable
Not determined.
Not determined.
Not applicable.

Viscosity:

Kinematic viscosity dynamic:Not determined.
Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 48 hPa (DIN 51640, CAS: 7732-18-5 water)

(Contd. on page 6)



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

(Contd. of page 5)

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Dispersion

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Void

Void

Minimum ignition energy

Solvent separation test: Not applicable.

Solvent content:

 Organic solvents:
 2.1 %

 Water:
 67.0 %

 EU-VOC (%)
 2.0413 %

 EU-VOC (g/L)
 61.8604 g/l

 Solids content:
 15.0 %

Change in condition Softening point/range

Corrosive to metals

Desensitised explosives

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 7)





Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

(Contd. of page 6)

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 8)



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

European waste catalogue

(Contd. of page 7)

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	ion	
14.1 UN number or ID number ADR, IMDG, IATA ADN	UN- Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR Class ADN/R Class:	- (-) Void	
IMDG Class Label	Void -	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user EMS Number:	Not applicable.	
14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

Directive 2012/18/EU

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)



Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

REGULATION (EU) 2019/1148

(Contd. of page 8)

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: EHS

Contact:

webersds

+44(0)1525718877

webersds@saint-gobain.com

Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 10)



(Contd. of page 9)



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 3 (replaces version 2) Revision: 16.12.2022

Trade name webercote primer

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1