

Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name webertec cablegrout filler

Safety data sheet no.: 44P46954

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

Enterprise Way

Flitwick

Bedfordshire MK45 5BY

Tel.: 01525 718877

webersds@saint-gobain.com

1.4 Emergency telephone number:

UK: NHS 111 (Members of the public)

UK NPIS 24-hour telephone helpline: +44 (0)344 892 0111 (Healthcare professionals only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Safety data sheet available on request.

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (UK REACH).

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances without any hazardous components

Dangerous components: Void

(Contd. on page 2)



Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

Trade name webertec cablegrout filler

Additional information

(Contd. of page 1)

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

CAS: 14808-60-7 50-100% CAS: 7631-86-9 0-1% CAS: 1317-61-9 0-2% CAS: 1317-65-3 0-50%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

Trade name webertec cablegrout filler

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS No. / Designation of material / % / Type / Value / Unit

Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m³

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the skin.

Respiratory protection: Not required.

Protection of hands: Not required.

Eve protection: Not required.

Eye protection: Not required.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Powder Colour: Black

Odour: Characteristic
Odour threshold: Not determined.

pH-value at 20 °C: 9-10

Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** 2,230 °C (DIN)

(Contd. on page 4)



Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

Trade name webertec cablegrout filler

Flash point: Not applicable Flammability (solid, gas): Product is not flammable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting.		(Contd. of page
Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Product does not present an explosion hazard Explosion limits: Lower: Upper: Not determined. Vapour pressure: Not applicable. Density: Relative density Vapour density Evaporation rate Solubility in / Miscibility with Water: Solubility in / Miscibility with Water: Solubility: Not applicable. Not determined. Not applicable. Not applicable. Not applicable. Soluble Segregation coefficient (n-octanol/water) log Pow: Viscosity: dynamic: kinematic: Solvent content: EU-VOC (%) EU-VOC (g/L) Not determined. Not determined. Not applicable.	ash point:	, , , ,
Decomposition temperature: Not determined. Auto-ignition temperature: Product is not self-igniting. Explosive properties: Product does not present an explosion hazard Explosion limits: Lower: Not determined. Upper: Not determined. Oxidising properties Not applicable. Pensity: Not applicable. Density: Not applicable. Relative density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not applicable. Viscosity: Not applicable. Kinematic: Not applicable. Not applicable. Solvent content: Not applicable. Solvent content: Upper: Not applicable.	ammability (solid, gas):	Product is not flammable.
Decomposition temperature: Auto-ignition temperature: Explosive properties: Lower: Upper: Not determined. Vapour pressure: Not applicable. Product does not present an explosion hazard Not determined. Vapour pressure: Not applicable. Not applicable. Vapour density Not applicable. Solubility in / Miscibility with Water: Solubility in / Miscibility with Water: Solubility: Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not determined. Viscosity: dynamic: kinematic: Not applicable. Not applicable. Solvent content: EU-VOC (%) EU-VOC (%) EU-VOC (g/L) 0.0000 g/l	nition temperature:	Not determined.
Explosive properties: Product does not present an explosion hazard Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure: Not applicable. Density: Relative density Not applicable. Relative density Vapour density Not applicable. Evaporation rate Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not applicable. Viscosity: dynamic: kinematic: Not applicable. Not applicable. Not applicable. Solvent content: EU-VOC (%) EU-VOC (g/L) Not 0.0000 % EU-VOC (g/L) Not 0.0000 % OCCUPATION OF STATEMENT O	ecomposition temperature:	Not determined.
Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure: Not applicable. Density: Relative density Vapour density Evaporation rate Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Viscosity: dynamic: kinematic: Solvent content: EU-VOC (%) EU-VOC (g/L) Not determined. Not determined. Not determined. Not determined. Not applicable.	ito-ignition temperature:	Product is not self-igniting.
Lower: Upper: Not determined. Vapour pressure: Not applicable. Density: Relative density Vapour density Vapour density Evaporation rate Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not applicable. Viscosity: dynamic: kinematic: Solvent content: EU-VOC (%) EU-VOC (g/L) Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.	plosive properties:	Product does not present an explosion hazard.
Lower: Upper: Not determined. Vapour pressure: Not applicable. Density: Relative density Vapour density Evaporation rate Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not applicable. Vot determined. Vot applicable. Soluble Segregation coefficient (n-octanol/water) log Pow: Not determined. Viscosity: dynamic: kinematic: Not applicable. Not applicable. Solvent content: EU-VOC (%) EU-VOC (g/L) Not determined.	splosion limits:	
Density: Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not determined. Viscosity: dynamic: kinematic: Not applicable. kinematic: Not applicable. Solvent content: EU-VOC (%) EU-VOC (g/L) Not applicable. 0.0000 % 0.0000 g/l	Lower: Upper:	Not determined.
Relative density Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not determined. Viscosity: dynamic: kinematic: Not applicable. Solvent content: EU-VOC (%) EU-VOC (g/L) Not determined. Not applicable. Not applicable. 0.0000 % 0.0000 g/l	apour pressure:	Not applicable.
Water: Soluble Segregation coefficient (n-octanol/water) log Pow: Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable. Solvent content: EU-VOC (%) 0.0000 % EU-VOC (g/L) 0.0000 g/l	elative density apour density	Not determined. Not applicable.
Pow: Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable. Solvent content: EU-VOC (%) EU-VOC (g/L) Not applicable. 0.0000 % 0.0000 %		Soluble
dynamic:Not applicable.kinematic:Not applicable.Solvent content:0.0000 %EU-VOC (g/L)0.0000 g/l		
EU-VOC (%) 0.0000 % EU-VOC (g/L) 0.0000 g/l	dynamic: kinematic:	
	EU-VOC (%) EU-VOC (g/L)	0.0000 g/l
9.2 Other information No further relevant information available.	2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.



Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

Trade name webertec cablegrout filler

(Contd. of page 4)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components / Type / Value / Species

CAS: 1317-65-3 calcium carbonate

Oral | LD50 | >5,000 mg/kg (Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration /	Method /	Assessment
--	----------	------------

CAS: 1317-65-3 calcium carbonate

LC50/96h |>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

12.5 Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB**: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 6)



Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

Trade name webertec cablegrout filler

(Contd. of page 5)

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled.

Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

SECTION 14: Transport information	on
14.1 UN-Number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (UK REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (GB CLP)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS

Contact: webersds 01525718877 webersds@saint-gobain.com

(Contd. on page 7)



Printing date 07.12.2022 Version number 1 Revision: 25.09.2020

Trade name webertec cablegrout filler

Abbreviations and acronyms:

(Contd. of page 6)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

According to Annex II of the UK REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

GB