according to 1907/2006/EC, Article 31

Printing date 16.12.2022

Version number 3 (replaces version 1)

Revision: 16.12.2022

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name webercem spray DS

Safety data sheet no.: 44P46964

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** Construction chemicals

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint-Gobain Weber Dickens House Enterprise Way Flitwick Bedfordshire MK45 5BY Tel: +44(0)1525 718877 webersds@saint-gobain.com 1.4 Emergency telephone number:

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am - 10pm,

- 7 days a week); +353 (1) 809 2566 (Healthcare professionals only 24/7)
- Iceland: Poisons Information Center Icelandic University Hospital: +354 543 2222

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms** 

GHS05 GHS07

(Contd. on page 2)

<sup>-</sup> EUG

according to 1907/2006/EC, Article 31

Printing date 16.12.2022

#### Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

|                 | (Contd. of page 1)   |
|-----------------|--|
| Signal word Da  | anger  |
| Hazard-determ   | ining components of labelling:   |
| cement portland | d, grey  |
| Hazard statem   | ents   |
| H315 Causes s   | kin irritation.  |
| H318 Causes s   | erious eye damage.   |
| H317 May caus   | e an allergic skin reaction.   |
| H335 May caus   | e respiratory irritation.  |
| Precautionary   | statements   |
| P261            | Avoid breathing dust/fume/gas/mist/vapours/spray.                                      |
| P280            | Wear protective gloves / eye protection / face protection.                             |
| P305+P351+P3    | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact        |
|                 | lenses, if present and easy to do. Continue rinsing.                                   |
| P310            | Immediately call a POISON CENTER/doctor.   |
| P362+P364       | Take off contaminated clothing and wash it before reuse.                               |
| P501            | Dispose of contents/container in accordance with local/regional/national/international |
|                 | regulations.   |
| 2.3 Other haza  | rds  |
| Results of PB1  | Γ and vPvB assessment  |
| PBT: Does not   | contain PBT substances.  |

vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

| CAS: 1317-65-3    | calcium carbonate   | 50-75% |
|-------------------|---|--------|
|                   | substance with a Community workplace exposure limit                                 |        |
| CAS: 65997-15-1   | cement portland, grey   | 10-25% |
| EINECS: 266-043-4 | Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 |        |
|                   | Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 %                         |        |
|                   | Eye Dam. 1; H318: C ≥ 1 %   |        |
| CAS: 69012-64-2   | amorphous silica (fume)   | 2-5%   |
| EINECS: 273-761-1 | substance with a Community workplace exposure limit                                 |        |

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version

Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

In case of unconsciousness place patient stably in side position for transportation.

(Contd. of page 2)

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

## After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to point 13. Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

- EUG -



according to 1907/2006/EC, Article 31

Version number 3 (replaces version 1)

Revision: 16.12.2022

Printing date 16.12.2022

**F**\_\_\_\_\_k

Trade name webercem spray DS

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| •                                       | CAS No. / Designation of material / % / Type / Value / Unit                  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| CAS: 1317-65-3 calcium carbonate        |  |  |  |  |  |  |
|   |  |  |  |  |  |  |
| TWA (Italy)                             | Italy) Long-term value: 10 mg/m³<br>(e)                                      |  |  |  |  |  |
| CAS: 65997-15-1 cement portland, grey   |  |  |  |  |  |  |
| AGW (Germany)                           | Long-term value: 5 E mg/m³<br>DFG  |  |  |  |  |  |
| LEP (Spain)                             | Long-term value: 4 mg/m³<br>fracción respirable: e, d                        |  |  |  |  |  |
| TWA (Italy)                             | Long-term value: 1 mg/m³<br>(e, j), A4                                       |  |  |  |  |  |
| VLE (Portugal)                          | Long-term value: 1 mg/m³<br>Fração resp.;A4,função pulm.,sintomas resp.,asma |  |  |  |  |  |
| HTP (Finland)                           | Long-term value: 5* 1** mg/m³<br>*hengittyvä pöly, **alveolijae              |  |  |  |  |  |
| CAS: 69012-64-2 amorphous silica (fume) |  |  |  |  |  |  |
| AGW (Germany)                           | Long-term value: 0.3 A mg/m³<br>DFG, Y, 1                                    |  |  |  |  |  |
| GV (Denmark)                            | Short-term value: 4 mg/m³<br>Long-term value: 2 mg/m³<br>respirabel          |  |  |  |  |  |
| LEP (Spain)                             | Long-term value: 2* mg/m³<br>*Fracción respirable: d                         |  |  |  |  |  |
| TWA (Italy)                             | Long-term value: (2) mg/m³<br>(j); silice, fumi                              |  |  |  |  |  |
| VLE (Portugal)                          | Long-term value: 2 mg/m³<br>Irritacao; febre                                 |  |  |  |  |  |
| 8.2 Exposure co                         | ntrols   |  |  |  |  |  |

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment

# General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 1)

Revision: 16.12.2022

Printing date 16.12.2022

Trade name webercem spray DS

(Contd. of page 4)

Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
Use a moisturising skin cream after processing the product. **Respiratory protection:**In case of brief exposure or low pollution use respiratory filter device.
In case of intensive or longer exposure use self-contained respiratory protective device.
Suitable respiratory protective device recommended.
Filter P2.
Hand protection Protective gloves.
Eye/face protection Tightly sealed goggles
Body protection: Protective work clothing.

# **SECTION 9: Physical and chemical properties**

| 9.1 Information on basic physical and chemical     | properties                    |
|--|-------------------------------|
| General Information                                |                               |
| Colour:  | Grey                          |
| Odour:   | Characteristic                |
| Odour threshold:                                   | Not determined.               |
| Melting point/freezing point:                      | Undetermined.                 |
| Boiling point or initial boiling point and boiling |                               |
| range  | Undetermined.                 |
| Flammability                                       | Product is not flammable.     |
| Lower and upper explosion limit                    |                               |
| Lower:   | Not determined.               |
| Upper:   | Not determined.               |
| Flash point:                                       | Not applicable                |
| Ignition temperature:                              | Not determined.               |
| Decomposition temperature:                         | Not determined.               |
| рН   | Alkaline in water             |
| Viscosity:   |                               |
| Kinematic viscosity                                | Not applicable.               |
| dynamic:   | Not applicable.               |
| Solubility   |                               |
| Water:   | Soluble                       |
| Partition coefficient n-octanol/water (log value)  | Not determined.               |
| Vapour pressure:                                   | Not applicable.               |
| Density and/or relative density                    |                               |
| Density:   | Not applicable.               |
| Relative density                                   | Not determined.               |
| Vapour density                                     | Not applicable.               |
| Particle characteristics                           | See item 3.                   |
| 9.2 Other information                              |                               |
| Appearance:  |                               |
| Form:  | Powder                        |
| Important information on protection of health      |                               |
| and environment, and on safety.                    |                               |
| Auto-ignition temperature:                         | Product is not self-igniting. |
| <u> </u>   | (Contd. on page 6)            |
|  | (Conta. on page o)            |

according to 1907/2006/EC, Article 31

Printing date 16.12.2022

Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

|   | (Contd. of page 5                             |  |  |
|---|---|--|--|
| Explosive properties:                   | Product does not present an explosion hazard. |  |  |
| EU-VOC (%)                              | 0.0000 %                                      |  |  |
| EU-VOC (g/L)                            | 0.0000 g/l                                    |  |  |
| Solids content:                         | 100.0 %                                       |  |  |
| Change in condition                     |   |  |  |
| Softening point/range                   |   |  |  |
| Oxidising properties                    | Not determined.                               |  |  |
| Evaporation rate                        | Not applicable.                               |  |  |
| Information with regard to physical has | zard  |  |  |
| classes                                 |   |  |  |
| Explosives                              | Void  |  |  |
| Flammable gases                         | Void  |  |  |
| Aerosols                                | Void  |  |  |
| Oxidising gases                         | Void  |  |  |
| Gases under pressure                    | Void  |  |  |
| Flammable liquids                       | Void  |  |  |
| Flammable solids                        | Void  |  |  |
| Self-reactive substances and mixtures   | Void  |  |  |
| Pyrophoric liquids                      | Void  |  |  |
| Pyrophoric solids                       | Void  |  |  |
| Self-heating substances and mixtures    | Void  |  |  |
| Substances and mixtures, which emit     |   |  |  |
| flammable gases in contact with water   | Void  |  |  |
| Oxidising liquids                       | Void  |  |  |
| Oxidising solids                        | Void  |  |  |
| Organic peroxides                       | Void  |  |  |
| Corrosive to metals                     | Void  |  |  |
| Desensitised explosives                 | Void  |  |  |

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)



EUG -

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

|  |  |   |  |                           |                               |                                     |                                       |                              | (   | Contd. of page |
|--|--|---|--|---------------------------|-------------------------------|-------------------------------------|---------------------------------------|------------------------------|-----|----------------|
| LD/LC50 va   | lues relevant  | for classification  | tion:  |                           |                               |                                     |                                       |                              |     |                |
| Componen   | ts /   | Type /  | Value  | 1                         | Spec                          | cies                                |                                       |                              |     |                |
| CAS: 1317-   | 65-3 calcium c   | arbonate  |  |                           |                               |                                     |                                       |                              |     |                |
| Oral LD  | 50 >5,000 mg/l   | (Rat)   |  |                           |                               |                                     |                                       |                              |     |                |
| CAS: 65997   | -15-1 cement   | portland, gre   | y  |                           |                               |                                     |                                       |                              |     |                |
| Dermal LD  | 50 >2,000 mg/l   | (Rabbit)  |  |                           |                               |                                     |                                       |                              |     |                |
| CAS: 69012   | -64-2 amorpho  | ous silica (fui   | ne)  |                           |                               |                                     |                                       |                              |     |                |
| Oral LD  | 50  >10,000 mg   | /kg (Rat)   |  |                           |                               |                                     |                                       |                              |     |                |
| Causes ser<br>Respiratory<br>May cause<br>Germ cell r<br>Carcinoger<br>Reproducti<br>STOT-sing<br>May cause<br>STOT-repe<br>Aspiration | e damage/irrita<br>ous eye damag<br>y or skin sensi<br>an allergic skin<br>nutagenicity B<br>nicity Based on<br>ve toxicity Based<br>e exposure<br>respiratory irrita<br>ated exposure<br>hazard Based o<br>ation on other | e.<br>tisation<br>reaction.<br>ased on availa<br>available data<br>sed on availab<br>tion.<br>Based on ava<br>on available da | a, the class<br>le data, the<br>illable data | sifica<br>e cla<br>a, the | ition c<br>ssifica<br>e class | riteria a<br>ation cri<br>sificatio | are not r<br>iteria are<br>n criteria | net.<br>e not me<br>a are no | et. |                |
| Endocrine  | disrupting pro   | perties   |  |                           |                               |                                     |                                       |                              |     |                |
| None of the  | ingredients is li  | sted.   |  |                           |                               |                                     |                                       |                              |     |                |

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 1317-65-3 calcium carbonate

LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

CAS: 69012-64-2 amorphous silica (fume)

EC50/24h >1,002 mg/l (Daphnia magna)

**12.2 Persistence and degradability** No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

- EUG -



Printing date 16.12.2022

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

#### 12.7 Other adverse effects

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

#### Additional ecological information:

#### **General notes:**

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### European waste catalogue

HP4 Irritant - skin irritation and eye damage

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP13 Sensitising

#### Uncleaned packaging:

#### Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

| 14.1 UN number or ID number<br>ADR, IMDG, IATA             | Void                      |   |
|--|---------------------------|---|
| 14.2 UN proper shipping name<br>ADR, IMDG, IATA            | Void                      |   |
| 14.3 Transport hazard class(es)                            |                           | - |
| ADR, ADN, IMDG, IATA<br>Class                              | Void                      |   |
| 14.4 Packing group<br>ADR, IMDG, IATA                      | Void                      |   |
| 14.5 Environmental hazards:                                | Not applicable.           |   |
| 14.6 Special precautions for user                          | Not applicable.           |   |
| 14.7 Maritime transport in bulk accordi<br>IMO instruments | ing to<br>Not applicable. |   |
| UN "Model Regulation":                                     | Void                      |   |

(Contd. on page 9)



Printing date 16.12.2022

(Contd. of page 7)

according to 1907/2006/EC, Article 31

Printing date 16.12.2022

Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

(Contd. of page 8)

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

## Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

#### Classification according to Regulation (EC) No 1272/2008

| Skin corrosion/irritation                        | The classification of the mixture is generally based on |
|--|---|
| Serious eye damage/eye irritation                | the calculation method using substance data according   |
| Skin sensitisation                               | to Regulation (EC) No 1272/2008.                        |
| Specific target organ toxicity (single exposure) |   |

EUG



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022

#### Version number 3 (replaces version 1)

Revision: 16.12.2022

Trade name webercem spray DS

|  | (= 15-)               |
|--|-----------------------|
| Department issuing SDS: EHS  |                       |
| Contact:   |                       |
| webersds   |                       |
|  |                       |
| +44(0)1525718877   |                       |
| webersds@saint-gobain.com  |                       |
| Version number of previous version: 1  |                       |
| Abbreviations and acronyms:  |                       |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agri<br>International Carriage of Dangerous Goods by Road) | eement Concerning the |
| IMDG: International Maritime Code for Dangerous Goods  |                       |
| IATA: International Air Transport Association  |                       |
| IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  |                       |
| ICAO: International Civil Aviation Organisation<br>GHS: Globally Harmonised System of Classification and Labelling of Chemicals                            |                       |
| EINECS: European Inventory of Existing Commercial Chemical Substances  |                       |
| ELINCS: European List of Notified Chemical Substances  |                       |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)  |                       |
| LC50: Lethal concentration, 50 percent   |                       |
| LD50: Lethal dose, 50 percent  |                       |
| PBT: Persistent, Bioaccumulative and Toxic   |                       |
| SVHC: Substances of Very High Concern (REACH regulation)   |                       |
| vPvB: very Persistent and very Bioaccumulative   |                       |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2  |                       |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1   |                       |
| Skin Sens. 1: Skin sensitisation – Category 1<br>STOT SE 2: Specific target target target target to be avecause) – Category 2                              |                       |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   | 510                   |
|  | EUG                   |



(Contd. of page 9)