Revision: 08.11.2023



## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 5 (replaces version 4)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: webertec anchor grout hardener

Safety data sheet no.: 44P46158D

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

**Enterprise Way** 

Flitwick

Bedfordshire MK45 5BY

Tel: +44(0)1525 718877

webersds@saint-gobain.com

#### 1.4 Emergency telephone number:

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am 10pm,
- 7 days a week); +353 (1) 809 2566 (Healthcare professionals only 24/7)
- Iceland: Poisons Information Center Icelandic University Hospital: +354 543 2222

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Sens. 1

H317 May cause an allergic skin reaction.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms





GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

dibenzoyl peroxide

(Contd. on page 2)



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

(Contd. of page 1)

#### **Hazard statements**

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P261 Avoid breathing dust. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3 Other hazards

# **Results of PBT and vPvB assessment PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	75-100%
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg.nr.: 01-2119511472-50-xxxx	dibenzoyl peroxide  Self-react. B, H241; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Eye Irrit. 2, H319; Skin Sens. 1, H317	≥2.5-<5%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

No special measures required.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

**After inhalation** Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

#### After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists. Remove contact lenses, if possible. Continue rinsing

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 08.11.2023 Revision: 08.11.2023 Version number 5 (replaces version 4)

Trade name: webertec anchor grout hardener

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures required.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

benzoyl peroxide		
ed No Effect Level	2 mg/kgxday (consumer systemic long term value)	
ed No Effect Level	13.3 mg/kgxday (worker systemic long term value)	
ed No Effect Level	0.034 mg/cm² (worker local long term value)	
ε	ed No Effect Level	ed No Effect Level 2 mg/kgxday (consumer systemic long term value) ed No Effect Level 0.034 mg/cm² (worker systemic long term value) 0.034 mg/cm² (worker local long term value)



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

		(Contd. of page 3)	
Inhalative Derive	Inhalative Derived No Effect Level 39 mg/m³ (worker systemic long term value)		
CAS No. / De	CAS No. / Designation of material / % / Type / Value / Unit		
CAS: 1317-65-3 (	calcium carbonate		
TWA (Italy)	Long-term value: 10 mg/m³ (e)		
CAS: 94-36-0 dib	enzoyl peroxide		
AGW (Germany)	Long-term value: 5 E mg/m³ 1(I);DFG		
GV (Denmark)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³		
LEP (Spain)	Long-term value: 5 mg/m³ Sen		
TWA (Italy) Long-term value: 5 mg/m³ A4			
VLE (Portugal)	VLE (Portugal) Long-term value: 5 mg/m³ A4; Irritação do TRS e cutânea		
HTP (Finland) Short-term value: 10 mg/m³ Long-term value: 5 mg/m³			

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.Eye/face protection Safety glasses.Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**General Information** 

Colour:WhitishOdour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicableAuto-ignition temperature:Not determined.

(Contd. on page 5)



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

(Contd. of page 4)

**Decomposition temperature:** Not determined.

рΗ

Not applicable.

Viscosity:

**Kinematic viscosity dynamic:**Not applicable.
Not applicable.

Solubility

Water: Insoluble

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Not applicable.

Density and/or relative density

Density:Not applicable.Relative densityNot determined.Vapour densityNot applicable.

**Particle characteristics** 

See section 3.

#### 9.2 Other information

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

 Organic solvents:
 0.0 %

 EU-VOC (%)
 0.00 %

 EU-VOC (g/L)
 0.0 g/l

 Solids content:
 100.0 %

Change in condition Softening point/range

Oxidising propertiesNot determined.Evaporation rateNot applicable.

#### Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit Void

flammable gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void

(Contd. on page 6)



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

(Contd. of page 5)

Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	1	Type	1	Value	1	/ Species	
CAS: 1317-65-3	calcium	carbonate					
Oral LD50 >5,0	00 mg/kg	(Rat)					

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test / Effective concentration / Method / Assessment		
CAS: 1317-65-3 calcium carbonate		
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))	

(Contd. on page 7)



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

	(Contd. of page 6)	
EC50/48h	>1,000 mg/l (Daphnia magna)	
EC50/72h	>200 mg/l (Algae)	
CAS: 94-36-0 dibenzoyl peroxide		
LC50/96h	0.0602 mg/l (Fish)	
EC50/48h	EC50/48h 0.11 mg/l (Daphnia magna)	
EC50/72h	EC50/72h 0.042-0.071 mg/l (Algae)	
NOEC (72h) 0.02 mg/l (Algae)		
NOEC (96h) 0.0316 mg/l (Fish)		

12.2 P	ersistence and degradability No further relevant information available.
Metho	od .
CAS:	94-36-0 dibenzoyl peroxide
Biod. (	28 days) 100 % (Biodegradation)
12.3 B	ioaccumulative potential
CAS:	94-36-0 dibenzoyl peroxide
EBAB	3.2 log Pow

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Not known to be hazardous to water.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

European	waste	catalogue
----------	-------	-----------

HP14 Ecotoxic

**Uncleaned packaging:** 

**Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	ation
14.1 UN number or ID number ADR, IMDG, IATA	UN3077
14.2 UN proper shipping name	
ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Contd. on page 8)



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

	(Contd. of page
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S.
14.3 Transport hazard class(es)	
ADR	
<b>1 1 1 2 2 2 3 3 3 3 3 3 3 3 3 3</b>	
Class	9 (M7) Miscellaneous dangerous substances an
Label	articles. 9
IMDG	9
Class Label	9 Miscellaneous dangerous substances and articles.
IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler cod EMS Number:	
Stowage Category Stowage Code	A SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	5 kg
	(Contd. on page



Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

(Contd. of page 8) **Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category **Tunnel restriction code** Remarks: Exemptions special provision 375 **IMDG** Limited quantities (LQ) 5 kg **Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Remarks: Exemptions special provision 969 IATA Remarks: Exemptions special provision 197 **UN "Model Regulation":** UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 9, III

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

**Seveso category** E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

# Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)



Printing date 08.11.2023 Revision: 08.11.2023 Version number 5 (replaces version 4)

Trade name: webertec anchor grout hardener

(Contd. of page 9)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Classification according to Regulation (EC) No 1272/2008

Skin sensitisation (acute) aquatic hazard

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based Hazardous to the aquatic environment - short-term on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS: EHS** 

#### Contact:

webersds

+44(0)1525718877

webersds@saint-gobain.com

Date of previous version: 26.04.2021 Version number of previous version: 4

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Self-react. B: Self-reactive substances and mixtures – Type B

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aguatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Contd. on page 11)





Printing date 08.11.2023 Version number 5 (replaces version 4) Revision: 08.11.2023

Trade name: webertec anchor grout hardener

(Contd. of page 10)

\* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

FUG