Revision: 11.01.2024



## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 11.01.2024

Version number 5 (replaces version 4)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: webertherm M1

Safety data sheet no.: 44P46017Z

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

**Enterprise Way** 

Flitwick

Bedfordshire MK45 5BY

Tel: +44(0)1525 718877

webersds@saint-gobain.com

#### 1.4 Emergency telephone number:

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am 10pm,
- 7 days a week); +353 (1) 809 2566 (Healthcare professionals only 24/7)
- Iceland: Poisons Information Center Icelandic University Hospital: +354 543 2222

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

(Contd. of page 1)

#### **Hazard pictograms**





GHS05 GHS09

#### Signal word Danger

#### Hazard-determining components of labelling:

cement, portland, white calcium dihydroxide

#### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Additional information:

Contains portland cement with a soluble chromium VI content under 2 ppm during the conservation period indicated on the packaging.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance: Terbutryn (CAS no.: 886-50-0)

#### 2.3 Other hazards

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2ppm), it doesn't need a reducing agent

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	25-50%
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	25-50%

(Contd. on page 3)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

				$\overline{}$
			(Contd. of page 2)	
Γ	CAS: 65997-15-1	cement, portland, white	10-20%	
	EINECS: 266-043-4	<ul> <li>Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT</li> <li>SE 3, H335</li> <li>Specific concentration limits:</li> <li>Skin Irrit. 2; H315: C ≥ 1 %</li> <li>Eye Dam. 1; H318: C ≥ 1 %</li> </ul>		
H	CAS: 1305-62-0	calcium dihydroxide	≥3-<5%	
	EINECS: 215-137-3	Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; STOT		
	Reg.nr.: 01-2119475151-45-xxxx	SE 3, H335		
	CAS: 886-50-0	terbutryn	≥0.025-<0.1%	
	EINECS: 212-950-5	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); • Acute Tox. 4, H302		

#### **SVHC** Void

#### Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm). It doesn't need any chromate reducing agent.

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

After inhalation Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available. (Contd. on page 4)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

(Contd. of page 3)

#### 5.3 Advice for firefighters

Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation.

#### 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

naredients with limit values that require monitoring at the workplace.

Ingredients with limit values that require monitoring at the workplace:				
DNELs				
CAS: 130	CAS: 1305-62-0 calcium dihydroxide			
Inhalative	Derived No Effect Level	4 mg/m³ (worker local short term value)		
		1 mg/m³ (worker local long term value)		
		1 mg/m³ (consumer local long term value)		
		4 mg/m³ (consumer local short term value)		
PNECs				
CAS: 130	5-62-0 calcium dihydrox	kide		
Predicted	No-Effect Concentration	0.32 mg/l (sea water rating factor)		
		0.49 mg/l (fresh water rating factor)		

(Contd. on page 5)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

		(Contd. of pa	
	nation of material / % / Type / Value / Unit		
CAS: 1317-65-3 calc			
TWA (Italy)	Long-term value: 10 mg/m³ (e)		
CAS: 14808-60-7 Sili	con dioxide (Quartz sand)		
BOELV (European Ur	nion) Long-term value: 0.1* mg/m³ *respirable fraction		
MAK (Germany)	alveolengängige Fraktion		
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel: K		
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y		
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)		
VLE (Portugal)	Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão		
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion		
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly		
CAS: 65997-15-1 cer	nent, portland, white		
AGW (Germany)	Long-term value: 5 E mg/m³ DFG		
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d		
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4		
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma	Long-term value: 1 mg/m³	
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae		
CAS: 1305-62-0 calc	ium dihydroxide		
IOELV (European Un	on) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction		
AGW (Germany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG		
GV (Denmark)	Short-term value: 10 4* mg/m³ Long-term value: 5 1* mg/m³ E; *respirabel fraktion		
LEP (Spain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d		
TWA (Italy)	Long-term value: 5 mg/m³		
VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica		



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

VLE (Portugal)

Long-term value: 5 mg/m³

Irritação ocular, do TRS, cutânea

OEL (Sweden) Short-term value: 4 mg/m³

Long-term value: 1 mg/m³

HTP (Finland)

Short-term value: 4 mg/m³

Long-term value: 1 mg/m³

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Use a moisturising skin cream after processing the product.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

**Eye/face protection** Tightly sealed goggles **Body protection**: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Colour: According to product specification

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Auto-ignition temperature: Not determined.
Decomposition temperature: Not determined.
pH Not applicable.

Viscosity:

**Kinematic viscosity dynamic:**Not applicable.
Not applicable.

Solubility

Water: Insoluble
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not applicable.

(Contd. on page 7)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

(Contd. of page 6)

Density and/or relative density

Density:Not applicable.Relative densityNot determined.Vapour densityNot applicable.

**Particle characteristics** 

See section 3.

9.2 Other information

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

**Ignition temperature:** Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

 Organic solvents:
 0.0 %

 EU-VOC (%)
 0.0000 %

 EU-VOC (g/L)
 0.0000 g/l

 Solids content:
 100.0 %

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not applicable.

Information with regard to physical hazard

classes Explosives

Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Void

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Desensitised explosives
Void
Void
Void
Void
Void
Void
Void

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

(Contd. on page 8)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

(Contd. of page 7)

#### Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

#### 10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Туре	1	Value	1	Species	
CAS: 13	317-65	-3 calcium c	arbonate					
Oral	LD50	>5,000 mg/l	kg (Rat)					
CAS: 65	997-1	5-1 cement,	portland,	white	е			
Dermal	LD50	>2,000 mg/l	κg (Rabbit)					
CAS: 13	305-62	-0 calcium d	lihydroxid	е				
Oral	LD50	>2,000 mg/l	kg (Rat)					
Dermal	LD50	>2,500 mg/l	kg (Rabbit)					
CAS: 88	36-50-0	terbutryn						
Oral	LD50	1,000-2,045	mg/kg (Ra	at)				
Dermal	LD50	>2,000 mg/l	kg (Rabbit)					

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

(Contd. on page 9)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

	(Contd. of page 8)			
Type of test	Type of test / Effective concentration / Method / Assessment			
CAS: 1317-6	5-3 calcium carbonate			
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))			
EC50/48h	>1,000 mg/l (Daphnia magna)			
EC50/72h	>200 mg/l (Algae)			
CAS: 1305-6	2-0 calcium dihydroxide			
LC50/48h	1,830 mg/l (Daphnia magna)			
LC50/96h	158 mg/l (Daphnia magna)			
	50.6-457 mg/l (Fish)			
EC50/48h	49.1 mg/l (Daphnia magna)			
EC50/72h	184.57 mg/l (Algae)			
NOEC (72h)	48 mg/l (Algae)			
NOEC (14d)	32 mg/l (Daphnia magna)			
CAS: 886-50	CAS: 886-50-0 terbutryn			
IC50/72h	0.0055 mg/l (Selenastrum capricornutum (Green algae))			
LC50/96h	1.1-1.3 mg/l (Fish)			
EC50/48h	2.66 mg/l (Daphnia magna)			
NOEC (21d)	1.3 mg/l (Daphnia magna)			
	0.01 mg/l (Fish)			

#### 12.2 Persistence and degradability No further relevant information available.

#### 12.3 Bioaccumulative potential

CAS: 886-50-0 terbutryn

EBAB 3.66 log Pow

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

#### Behaviour in sewage processing plants:

	Type of test / Effective concentration / Method / Assessment	
Г	CAS: 1305-62-0 calcium dihydroxide	
	EC 50 (3h) 300.4 mg/l (Activated sludge)	

#### Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

(Contd. of page 9)

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Europ	European waste catalogue		
HP4	Irritant - skin irritation and eye damage		
HP14	Ecotoxic		

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informati	ion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordir IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

**Seveso category** E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 11)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

#### **REGULATION (EC) No 1907/2006 ANNEX XVII**

(Contd. of page 10)

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)

Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation
Serious eye damage/irritation

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** EHS

Contact: webersds

+44(0)1525718877

webersds@saint-gobain.com

(Contd. on page 12)



Printing date 11.01.2024 Version number 5 (replaces version 4) Revision: 11.01.2024

Trade name: webertherm M1

(Contd. of page 11)

Date of previous version: 04.06.2018 Version number of previous version: 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG